CLINICIAN TOOLS

Vanderbilt Assessment Scale: ADHD Toolkit Parent-Informant Form

Chile	d's name:	_ Parent's na	ame:				
Date	DOB:				Age:		
\	sations. Feel rating should be considered in the centers	of what is a	annanriata far tha	ogo of voi	ur abild Whan	aamalatina	
	ections: Each rating should be considered in the contex form, please think about your child's behaviors in the pa	•	•	e age or you	ir Child. Vyrien (completing	
This	s evaluation is based on a time when your child: Was	on medication	on □ Was not	on medicati	on □ Not su	re	
	Behavior	Never (0)	Occasionally (1)	Often (2)	Very Often (3)		
	Does not pay attention to details or makes mistakes that seem careless with, for example, homework						
2.	Has difficulty keeping attention on what needs to be done						
3.	Does not seem to listen when spoken to directly						
	Does not follow through on instructions and does not finish activities (not because of refusal or lack of comprehension)						
5.	Has difficulty organizing tasks and activities						
	Avoids, dislikes, or does not want to start tasks that require ongoing mental effort						
	Loses things necessary for tasks or activities (eg, toys, assignments, pencils, books)						
8.	Is easily distracted by noises or other stimuli					For Office Use Only	
9.	ls forgetful in daily activities					2s & 3s/9	
10.	Fidgets with or taps hands or feet or squirms in seat						
11.	Leaves seat when remaining seated is expected						
	Runs about or climbs too much when remaining seated is expected						
13.	Has difficulty playing or beginning quiet play games						
14.	ls on the go or often acts as if "driven by a motor"						
15.	Talks too much						
16.	Blurts out answers before questions have been completed						
17.	Has difficulty waiting his or her turn						
	Interrupts or intrudes into others' conversations or activities or both					For Office Use Only 2s & 3s /9	

Vanderbilt Assessment Scale: ADHD Toolkit Parent-Informant Form



Child's name: Today's date:					
Behavior	Never (0)	Occasionally (1)	Often (2)	Very Often (3)	
19. Loses temper					
20. Is touchy or easily annoyed					
21. Is angry or resentful					
22. Argues with authority figures or adults					
23. Actively defies or refuses to adhere to requests or rules					
24. Deliberately annoys people					
25. Blames others for his or her mistakes or misbehaviors					For Office
26. Is spiteful and wants to get even					Use Only 2s & 3s /8
27. Bullies, threatens, or intimidates others					
28. Starts physical fights					
29. Has used a weapon that can cause serious harm (eg, bat, knife, brick, gun)					
30. Has been physically cruel to people					
31. Has been physically cruel to animals					
32. Has stolen while confronting the person					
33. Has forced someone into sexual activity					
34. Has deliberately set fires to cause damage					
35. Deliberately destroys others' property					
36. Has broken into someone else's home, business, or car					
37. Lies to get out of trouble, to obtain goods or favors, or to avoid obligations (ie, cons others)					
38. Has stolen items of value					
39. Has stayed out at night without permission beginning before age 13					
40. Has run away from home twice or once for an extended period					For Office Use Only
41. Is often truant from school (skips school)					2s & 3s /15
42. Is fearful, anxious, or worried					
43. Is afraid to try new things for fear of making mistakes					
44. Feels worthless or inferior					
45. Blames self for problems or feels guilty					
46. Feels lonely, unwanted, or unloved; often says that no one loves him or her					
47. Is sad, unhappy, or depressed					For Office Use Only
48. Is self-conscious or easily embarrassed					2s & 3s/7

 \square No tics present.

□ No □ Yes

Vanderbilt Assessment Scale: ADHD Toolkit Parent-Informant Form



Child's name:			Today's date:				
Academic and Social Performance	Excellent (1)	Above Average (2)	Average (3)	Somewhat of a Problem (4)	Problematic (5)		
49. Overall school performance							
50. Reading							
51. Writing							
52. Mathematics							
53. Relationship with parents						For Office Use Only	
54. Relationship with siblings						4s/8	
55. Relationship with peers						For Office	
56. Participation in organized activities (eg, teams)						Use Only	
How old was your child when you first Tic behaviors: To the best of your know	rledge, please i	indicate if your chi		· ·			
 Motor tics: Rapid, repetitive movements arm jerks, body jerks, and rapid kicks 		ye blinking, grimad	cing, nose tw	itching, head j	erks, shoulder s	hrugs,	
☐ No tics present.							
$\hfill\Box$ Yes, they occur nearly every day b	ut go unnotice	d by most people.					
☐ Yes, noticeable tics occur nearly e	verv dav.						

2. Phonic (vocal) tics: Repetitive noises including, but not limited to, throat clearing, coughing, whistling, sniffing,

3. If YES to 1 or 2, do these tics interfere with your child's activities (eg, reading, writing, walking, talking, eating)?

snorting, screeching, barking, grunting, and repetition of words or short phrases.

☐ Yes, they occur nearly every day but go unnoticed by most people.

 $\hfill \square$ Yes, noticeable tics occur nearly every day.

Vanderbilt Assessment Scale: ADHD Toolkit Parent-Informant Form



Ch	nild's name:	Today's date:				
Pr	Previous diagnosis and treatment: Please answer the following questions to the best of your knowledge:					
1.	Has your child been diagnosed as having ADHD or ADD? □ No □ Yes					
2.	Is he or she on medication for ADHD or ADD? □ No □ Yes					
3.	Has your child been diagnosed as having a tic disorder or Tourette syndrome? □ No □ Yes					
4.	Is he or she on medication for a tic disorder or Tourette disorder? $\hfill\Box$ No $\hfill\Box$ Yes					
Ad	dapted from the Vanderbilt rating scales developed by Mark L. Wolraich, MD.					

For Office Use Only
Total number of questions scored 2 or 3 in questions 1–9:
Total number of questions scored 2 or 3 in questions 10–18:
Total number of questions scored 2 or 3 in questions 19–26:
Total number of questions scored 2 or 3 in questions 27–41:
Total number of questions scored 2 or 3 in questions 42–48:
Total number of questions scored 4 in questions 49–56:
Total number of questions scored 5 in questions 49–56:

American Academy of Pediatrics



The recommendations in this resource do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original resource included as part of Caring for Children With ADHD: A Practical Resource Toolkit for Clinicians, 3rd Edition.

Inclusion in this resource does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of the resources mentioned in this resource. Website addresses are as current as possible but may change at any time.

The American Academy of Pediatrics (AAP) does not review or endorse any modifications made to this resource and in no event shall the AAP be liable for any such changes. © 2020 American Academy of Pediatrics. All rights reserved.