Gastroenterology

CLENPIQ Colonoscopy Prep Procedure Before Noon

Page 1 of 1

Purchase from the Pharmacy

- One (1) box of Simethicone (Gas-X) Extra-Strength 125mg oral soft gel capsules (over the counter)
- CLENPIQ Solution (prescribed medication pick up from pharmacist)

Bowel Preparation Instructions

The day before your colonoscopy, diet is to consist of CLEAR LIQUIDS ONLY (no solid food).

- Do not consume liquids that are red or purple in color. Do not consume milk products or juices with pulp. Clear liquids include water, black coffee, tea, apple juice, white grape or cranberry juice, lemonade, sports drinks (Gatorade, PowerAde, etc.), clear beef, chicken or vegetable broth, Jell-O, popsicles, frozen sorbet, or Italian ice. Alcoholic beverages are not permitted.
- CLENPIQ bowel prep solution can be refrigerated.

• The day before your procedure, at 4:00PM:

Consume the first eight (8) ounce bottle of CLENPIQ solution followed by five (5) 8-ounce cups
of clear liquid. This should be consumed within 5 hours and before your next CLENPIQ dose.

The day before your procedure, at 10:00PM:

- Consume the second eight (8) ounce bottle of CLENPIQ solution, followed by three (3) 8-ounce cups of clear liquid.
- Take two (2) extra strength Simethicone (Gas-X) oral soft gel capsules (250mg total).
- ⇒ After midnight, consume nothing by mouth except a sip of water for necessary medications.

Contact the on-call Gastroenterologist at **(941) 262-0400 if** any problems arise during the bowel preparation process.

Prep Guide





Gastroenterology ● 941-262-0400 www.firstphysiciansgroup.com